



**Specifications:** Mechanical/Performance  
Exterior Dimensions  
Interior Dimensions Front/Rear  
Weights and Measures

**MECHANICAL/PERFORMANCE**

<b>Engine</b>	4.0-liter DOHC 24-valve SFI VVT-i V6 239 hp @ 5200 rpm; 278 lb.-ft. @ 3700 rpm
<b>Ignition</b>	Electronic, with Toyota Direct Ignition System (TDIS)
<b>Transmission</b>	5-speed electronically controlled automatic overdrive (ECT); 6-speed manual (full-time 4WD model)
<b>Drivetrain</b>	Rear-wheel 2WD or part-time 4WD for automatic transmission models; full-time 4WD for manual transmission models; automatic limited-slip differential (2WD model)
<b>Suspension</b>	
Front	High-mounted, double-wishbone suspension and stabilizer bar
Rear	4-link suspension with lateral rod with coil springs and stabilizer bar
<b>Steering</b>	Power-assisted variable-gear rack-and-pinion
<b>Turning circle diameter -- curb to curb (ft.)</b>	41.8
<b>Brakes</b>	Power-assisted 4-piston front/2-piston rear ventilated disc brakes with Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD) and Brake Assist <sup>[1]</sup>
<b>Vehicle Stability Control (VSC)<sup>[2]</sup></b>	Standard
<b>Traction Control</b>	Standard
<b>Active Traction Control</b>	Available (4WD model)

**EXTERIOR DIMENSIONS (in.)**

Overall height	71.3 (2WD)/72.0 (4WD)
Overall width	75.0
Overall length	183.9
Wheelbase	105.9
Track (front/rear)	63.2/63.6

**INTERIOR DIMENSIONS front/rear (in.)**

Head room	41.3/40.3
Shoulder room	58.4/53.9
Hip room	55.4/51.0
Leg room	41.9/31.3
Seating capacity	5

**OFF-HIGHWAY**

<b>Skid plates</b>	On engine/front suspension, fuel tank and transfer case (transfer case on 4WD models only)
<b>Angle of approach/departure (degrees)</b>	
2WD	32/30
4WD	34/31
<b>Minimum running ground clearance (in.) (2WD/4WD)</b>	8.7/9.6
<b>Rear axle ratio automatic<sup>[3]</sup>/manual<sup>[3]</sup></b>	3.72:1/3.91:1

<b>Transfer case ratios – 2-speed</b>	
High/low	1.000:1/2.566:1

**WEIGHTS AND CAPACITIES**

<b>Curb weight (lb.)</b>	4050 (2WD)	4290 (4WD manual)	4295 (4WD automatic)
<b>Gross Vehicle Weight Rating – GVWR (lb.)</b>	5335 (2WD)	5567 (4WD)	
<b>Cargo volume (cu. ft.)<sup>[4]</sup> behind front/rear seats</b>	66.8/27.9		
<b>Towing capacity<sup>[5]</sup> (lb.)</b>	5000		
<b>Fuel tank (gal.)</b>	19.0		

**TIRES**

<b>Size</b>	P265/70R17
<b>Type</b>	Mud-and-snow-rated steel-belted radial blackwall
<b>Spare</b>	Full-size

**MILEAGE ESTIMATES (mpg city/highway)<sup>[6]</sup>**

2WD	19/22
4WD manual	16/19
4WD automatic	17/21

[1] Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions.



[2] Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your Owner's Manual for further details.

[3] Front and rear for 4WD models.

[4] Cargo and load capacity limited by weight and distribution.

[5] Before towing, confirm your vehicle and trailer are compatible, hooked up properly and you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions and cautions from your trailer hitch manufacturer and Toyota vehicle Owner's Manual. The maximum amount you can tow depends on the total weight of any cargo, occupants and optional equipment.

[6] Preliminary mileage estimates determined by Toyota. EPA mileage estimates not available at time of posting. Actual mileage may vary.



\*4WD models



**Specifications:**

- Colors
- Seat Fabric
- Wheels

**COLORS** The 2007 FJ Cruiser is available in five body color options with white roof cap. Option Packages 1 and 2 include door trim color-keyed to body color.



**Black Cherry Pearl**



**Black Diamond**



**Voodoo Blue**




**Sun Fusion**



**Titanium Metallic**

Vehicles shown with available equipment.



**A**





**B**

**(A)** Standard 17-in. black steel wheels.

**(B)** Available 17-in. 6-spoke aluminum alloy wheels (included with Upgrade Packages 1 and 2).

**SEAT FABRIC** All 2007 FJ Cruisers include water-repellent seating materials. Seats are covered with a fabric backed by a special breathable resin coating to enhance the material's ability to shed liquids, and stitched seams are treated with sealant so that seats can be easily wiped down and cleaned.





**Specifications:** Exterior Features  
Interior Features  
Safety Features

**EXTERIOR**

- Two-tone exterior color (color-keyed body with white roof top) .....S
- Multi-reflector halogen headlamps.....S
- Black bumpers with metallic silver trim .....S
- Silver painted mirrors .....S
- Washer-linked variable intermittent windshield wipers.....S
- Rear window defogger with intelligent timer .....S
- Rear hatch glass window with release lever.....S
- Two full doors and two access doors with silver trim door handles.....S
- Black overfenders with integrated mudguards.....S
- 17-in. black steel wheels with P265/70R17 tires and full-size spare (exterior rear door mount) .....S
- 17-in. 6-spoke aluminum alloy wheels with P265/70R17 tires and full-size spare (exterior rear door mount) .....O/P

**INTERIOR**

- Flat dash panels with pipe-like structure with silver instrument-panel trim .....S
- Exterior color-keyed center instrument-panel trim.....S
- Tilt 3-spoke steering wheel with silver trim .....S
- Analog instrument meters with backlit white surface area on tachometer, speedometer, fuel, temp and voltmeters .....S
- Defroster-linked air conditioning .....S
- AM/FM CD player, MP3/WMA playback capability and six speakers .....S
- AM/FM 6-disc in-dash CD changer, MP3/WMA playback capability and eight speakers .....P
- AM/FM 6-disc in-dash CD changer, MP3/WMA playback capability and nine speakers (includes subwoofer with off switch) .....P
- Digital clock.....S
- Dual sun visors .....S
- Four assist grips (two A-pillars, two above front doors) .....S
- Four cup holders (center console) and 2 bottle holders (access doors) .....S
- Power windows and door locks.....S
- Four map pockets (one per door) .....S
- Fabric-trimmed 8-way manual adjustable driver's seat with armrest.....S
- Fabric-trimmed 4-way manual adjustable passenger seat with seatback pocket .....S
- Fabric-trimmed 60/40 split rear seats with tumble/removable bottom cushion and fold-down seatback .....S
- Water-resistant seats with adjustable headrest in each position .....S
- Rubber-type floor and deck mat.....S

**SAFETY**

- Star Safety System™ – includes Vehicle Stability Control (VSC)<sup>[1]</sup> + Traction Control (TRAC), 4-wheel Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD), and Brake Assist<sup>[2]</sup>.....S
- Driver and front passenger dual stage airbags<sup>[3]</sup>.....S
- Driver and front passenger front seat-mounted side airbags and front- and second-row side curtain airbags<sup>[3]</sup> .....O
- 3-point Automatic/Emergency Locking Retractor (ALR/ELR) seatbelts in all seating positions (driver's belt is ELR only).....S
- Driver and front passenger seatbelt pretensioners with force limiters.....S
- Driver and front passenger seatbelt warning with buzzer.....S
- Side-impact door beams.....S
- Daytime Running Lights (DRL).....O/P
- Center high-mount stop lamp (CHMSL).....S
- Child Restraint System (CRS) top tether anchors and ISO-FIX lower anchor points.....S
- Rear Intuitive Parking Assist .....O/P

**Features footnotes**

[1] Vehicle Stability Control (VSC) is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether VSC will be effective in preventing a loss of control. Please see your *Owner's Manual* for further details.

[2] Brake Assist is designed to help the driver take full advantage of the benefits of ABS. It is not a substitute for safe driving practices. Braking effectiveness also depends on proper brake-system maintenance and tire and road conditions.

[3] The Toyota driver, front passenger, front seat-mounted side airbags and side curtain airbags are Supplemental Restraint Systems (SRS). The driver and front passenger airbags are designed to deploy in severe (usually frontal) collisions where the magnitude and duration of the forward deceleration of the vehicle exceed the design threshold level. The side airbags and side curtain airbags are designed to inflate in certain types of severe side-impact collisions. In all other accidents, the airbags will not inflate. To decrease the risk of injury from a deploying airbag, always wear seatbelts, sit upright in the middle of the seat as far back as possible from the airbag modules and do not lean against the door. Do not put objects in front of an airbag or around the seatback. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying SRS airbag may cause serious injury or death. Please see your *Owner's Manual* for further instructions. Vehicle complies with "advanced airbag" requirements of FMVSS 208.

S = Standard      O = Optional      P = Feature available as part of an option package.



**Specifications:** Packages  
Options

**FJ CRUISER AVAILABLE PACKAGES AND OPTIONS**

**PACKAGES**

**CONVENIENCE PACKAGE**

- Remote keyless entry system
- Cruise control
- Power outside mirrors with illuminated markers
- Rear privacy glass
- Rear wiper
- Rear Intuitive Parking Assist
- Daytime Running Lights (DRL)

**UPGRADE PACKAGE 1<sup>[1]</sup>**


- 17-in. 6-spoke aluminum alloy wheels with P265/70R17 tires and full-size spare (exterior rear door mount)
- Active Traction Control (4WD models)
- Locking rear differential
- 115V, 400-watt power outlet
- AM/FM 6-disc in-dash CD changer, MP3/WMA playback capability and eight speakers
- Exterior color-keyed door-trim inserts
- Multi-information display floating ball type (inclinometer, compass, temperature)
- Leather-wrapped steering wheel with integrated audio controls
- Aluminum brush transmission lever and transfer lever (transfer lever on 4WD models)

**UPGRADE PACKAGE 2<sup>[1]</sup>**

- 17-in. 6-spoke aluminum alloy wheels with P265/70R17 tires and full-size spare (exterior rear door mount)
- Active Traction Control (4WD models)
- Locking rear differential
- 115V, 400-watt power outlet
- AM/FM 6-disc in-dash CD changer, MP3/WMA playback capability and nine speakers (includes subwoofer with off switch)
- Exterior color-keyed door-trim inserts
- Multi-information display floating ball type (inclinometer, compass, temperature)
- Leather-wrapped steering wheel with integrated audio controls
- Aluminum brush transmission lever and transfer lever (transfer lever on 4WD models)


**OPTIONS**

- Driver and front passenger front seat-mounted side airbags and front- and second-row side curtain airbags<sup>[2]</sup>
- 17-in. 6-spoke aluminum alloy wheels with P265/70R17 tires and full-size spare (exterior rear door mount)
- Locking rear differential
- Running boards



Package/Option footnotes  
[1] Requires Convenience Package.

[2] The Toyota driver, front passenger, front seat-mounted side airbags and side curtain airbags are Supplemental Restraint Systems (SRS). The driver and front passenger airbags are designed to deploy in severe (usually frontal) collisions where the magnitude and duration of the forward deceleration of the vehicle exceed the design threshold level. The side airbags and side curtain airbags are designed to inflate in certain types of severe side-impact collisions. In all other accidents, the airbags will not inflate. To decrease the risk of injury from a deploying airbag, always wear seatbelts, sit upright in the middle of the seat as far back as possible from the airbag modules and do not lean against the door. Do not put objects in front of an airbag or around the seatback. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying SRS airbag may cause serious injury or death. Please see your *Owner's Manual* for further instructions. Vehicle complies with "advanced airbag" requirements of FMVSS 208.



Three windshield wipers help provide maximum visibility.

(Right) Easy-clean, rubber-type floor and deck mats are standard. (Far right) Driver and front passenger front seat-mounted side airbags and front- and second-row side curtain airbags<sup>[2]</sup> are available as options.

